



# PAKETLEME VE YÜKLEME GÖRSELLERİ



ACARLAR

ANSAF AMBALAJ

BARON

USTAZA



ASIA



702

7 105

5 105







# SOLEN KABLO SAN. VE TIC. A.Ş.

Tersane Cid Anaplagayın Sok. No: 23 Kat: 1/1 Beşiktaş / İstanbul

www.solenkablo.com

23



DoP no: 0001 | 17.01.2023

EN 1014 A 1121214

Temel Karakteristikler Essential Characteristics	Performans Performance	İlgili Harmonize Standard Harmonized Technical Specifications
Yapısal Özellikler Structural Characteristics	Dea, X1a, d2, a1	EN 50575:2014 +A1:2016 Supply of electricity in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke
Yapısal Özellikler Structural Characteristics	NEP	



Ürün Tipi / Kesit / (Renk)  
Product Type / Cross-Section / (Color)

H17272-K & 62930 IEC 131 1x6 mm<sup>2</sup> (RED)

Ürün Kodu  
Product Code

SPY50060R13000

Lot No Lot No	Mak. Tip Drum Type	Mak. No Drum No	Sipariş No Order No	Müşteri Customer
SC230012	K388	(212)/288	SC230076	DİC ELEKTRO B.V.
Anma Gerilimi Rated Voltage	Miktar Quantity	Brüt Gross	Net Net	Üretim Tarihi Production Date
1.5 kV DC	500 m	40 kg	38 kg	7.08.2023

QC



www.solenkablo.com

Solar Cable



H17272-K

